

## Security Advisories

# Security Advisories

## About

---

### About

The purpose of this registry is to proactively raise awareness and communicate about vulnerabilities that have been analyzed for Axis products and services.

- Axis and OpenSource vulnerabilities are listed below with CVE IDs (CVE = Common Vulnerabilities and Exposures).
- Axis vulnerabilities were previously listed with ACV IDs (ACV = Axis Critical Vulnerability), which changed when Axis was approved as a CVE Numbering Authority (CNA) in April 2021.

Please contact *Axis Technical Support* in case you have found a CVE that was reported to be present in AXIS OS and is not registered below.

For more information about Axis work with cybersecurity, see *Cybersecurity resources*.

# Security Advisories

## Axis CVEs

---

### Axis CVEs

The Axis registry covers vulnerabilities that are specific to Axis products and services. We strongly recommend to update affected devices and services.

### Analytics

#### CVE 2023

CVE number	CVSS severity	Patched in version	Security advisory / Vulnerability summary
<i>CVE-2023-21412</i>	7.2 (High)	2.8.4	<i>Axis Security Advisory - AXIS License Plate Verifier: User provided input is not sanitized on the "search.cgi" allowing for SQL injections.</i>
<i>CVE-2023-21411</i>	7.2 (High)	2.8.4	<i>Axis Security Advisory - AXIS License Plate Verifier: User provided input is not sanitized in the "Settings &gt; Access Control" configuration interface allowing for arbitrary code execution.</i>
<i>CVE-2023-21410</i>	7.2 (High)	2.8.4	<i>Axis Security Advisory - AXIS License Plate Verifier: User provided input is not sanitized on the AXIS License Plate Verifier specific "api.cgi" allowing for arbitrary code execution.</i>
<i>CVE-2023-21409</i>	8.4 (High)	2.8.4	<i>Axis Security Advisory - AXIS License Plate Verifier: Due to insufficient file permissions, unprivileged users could gain access to unencrypted administrator credentials allowing the configuration of the application.</i>
<i>CVE-2023-21408</i>	8.4 (High)	2.8.4	<i>Axis Security Advisory - AXIS License Plate Verifier: Due to insufficient file permissions, unprivileged users could gain access to unencrypted user credentials that are used in the integration interface towards 3rd party systems.</i>
<i>CVE-2023-21407</i>	8.8 (High)	2.8.4	<i>Axis Security Advisory - AXIS License Plate Verifier: A broken access control was found allowing for privileged escalation of the operator account to gain administrator privileges.</i>

# Security Advisories

## Axis CVEs

---

### AXIS Camera Station Pro

#### CVE 2024

CVE number	CVSS severity
<i>CVE-2024-6831</i>	4.4 (Low)
<i>CVE-2024-6749</i>	6.3 (Medium)
<i>CVE-2024-6476</i>	4.2 (Low)

### AXIS Device Manager

#### CVE 2021

CVE number	CVSS severity	Patched in version	Security advisory / Vulnerability summary
<i>CVE-2021-31989</i>	5.3 (Medium)	5.17.065	<i>Axis Security Advisory</i> - A user with permission to log on to the machine hosting the AXIS Device Manager client could under certain conditions extract a memory dump from the built-in Windows Task Manager application. The memory dump may potentially contain credentials of connected Axis devices.

### AXIS OS

#### CVE 2024

CVE number	CVSS severity	Patched in version	Security advisory / Vulnerability summary
<i>CVE-2024-47257</i>	7.5 (High)	6.50.5.19	<i>Axis Security Advisory</i> - Selected Axis devices were vulnerable to handling certain ethernet frames which could lead to the Axis device becoming unavailable in the network.
<i>CVE-2024-8772</i>	4.3 (Medium)	12.1.60 11.11.124 10.12.262 9.80.85	<i>Axis Security Advisory</i> - The VAPIX API managedoverlayimages.cgi was vulnerable to a race condition attack allowing for an attacker to block access to the overlay configuration page in the web interface of the Axis device.
<i>CVE-2024-8160</i>	3.8 (Low)	12.1.60 11.11.116 10.12.257	<i>Axis Security Advisory</i> - The VAPIX API ftpptest.cgi did not have a sufficient input validation allowing for a possible command injection leading to being able to transfer files from/to the Axis device.

# Security Advisories

## Axis CVEs

---

<i>CVE-2024-7784</i>	6.1 (Medium)	12.0.91 11.11.109 10.12.252	<i>Axis Security Advisory</i> - Device tampering (commonly known as Secure Boot) in AXIS OS was vulnerable to a sophisticated attack to bypass this protection. This patch will enforce a downgrade restriction. For more information please review the security advisory.
<i>CVE-2024-6979</i>	6.8 (Medium)	12.0.91 11.11.109	<i>Axis Security Advisory</i> - A broken access control was discovered which could lead to less-privileged operator- and/or viewer accounts having more privileges than designed.
<i>CVE-2024-6509</i>	6.5 (Medium)	12.0.91 11.11.109 10.12.252 9.80.78 8.40.59	<i>Axis Security Advisory</i> - The VAPIX API <code>alwaysmulti.cgi</code> was vulnerable for file globbing which could lead to resource exhaustion of the Axis device.
<i>CVE-2024-6173</i>	6.5 (Medium)	11.11.73 10.12.252 9.80.78 8.40.59	<i>Axis Security Advisory</i> - A Guard Tour VAPIX API parameter allowed the use of arbitrary values allowing for an attacker to block access to the guard tour configuration page in the web interface of the Axis device.
<i>CVE-2024-0067</i>	4.3 (Medium)	11.11.73 10.12.252 9.80.78 8.40.59	<i>Axis Security Advisory</i> - The VAPIX API <code>ledlimit.cgi</code> was vulnerable for path traversal attacks allowing to list folder/file names on the local file system of the Axis device.
<i>CVE-2024-0066</i>	5.3 (Medium)	11.10.61 10.12.236 9.80.69 8.40.48 6.50.5.18 5.51.7.8	<i>Axis Security Advisory</i> - A O3C feature may expose sensitive traffic between the client (Axis device) and (O3C) server. If O3C is not being used this flaw does not apply.
<i>CVE-2024-0055</i>	6.5 (Medium)	11.9.60 10.12.228	<i>Axis Security Advisory</i> - The VAPIX APIs <code>mediaclip.cgi</code> and <code>playclip.cgi</code> was vulnerable for file globbing which could lead to a resource exhaustion attack.
<i>CVE-2024-0054</i>	6.5 (Medium)	11.9.60 10.12.228 9.80.66 8.40.43	<i>Axis Security Advisory</i> - The VAPIX APIs <code>local_list.cgi</code> , <code>create_overlay.cgi</code> and <code>irissetup.cgi</code> was vulnerable for file globbing which could lead to a resource exhaustion attack.

# Security Advisories

## Axis CVEs

### CVE 2023

CVE number	CVSS severity	Patched in version	Security advisory / Vulnerability summary
<i>CVE-2023-22984</i>	6.1 (Medium)	N/A	This CVE has been rejected as it is out-of-scope in accordance with our vulnerability management policy. Please follow our general <i>Security Advisory about CSRF and XSS attacks</i> on how to mitigate these type of vulnerabilities.
<i>CVE-2023-21418</i>	7.1 (High)	11.7.57 10.12.213 9.80.49 8.40.37 6.50.5.15	<i>Axis Security Advisory</i> - The VAPIX API <code>irissetup.cgi</code> was vulnerable to path traversal attacks that allows for file deletion.
<i>CVE-2023-21417</i>	7.1 (High)	11.7.57 10.12.208 9.80.49	<i>Axis Security Advisory</i> - The VAPIX API <code>manageoverlayimage.cgi</code> was vulnerable to path traversal attacks that allows for file/folder deletion.
<i>CVE-2023-21416</i>	7.1 (High)	11.7.57 10.12.213	<i>Axis Security Advisory</i> - The VAPIX API <code>dynamicoverlay.cgi</code> was vulnerable to a Denial-of-Service attack allowing for an attacker to block access to the overlay configuration page in the web interface of the Axis device.
<i>CVE-2023-21415</i>	6.5 (Medium)	11.6.94 10.12.208 9.80.47 8.40.35 6.50.5.14	<i>Axis Security Advisory</i> - The VAPIX API <code>overlay_del.cgi</code> was vulnerable to path traversal attacks that allows for file deletion.
<i>CVE-2023-21414</i>	7.1 (High)	11.6.94 10.12.208	<i>Axis Security Advisory</i> - Device tampering (commonly known as Secure Boot) in AXIS OS was vulnerable to a sophisticated attack to bypass this protection. This patch will enforce a downgrade restriction. For more information please review the secure advisory.
<i>CVE-2023-21413</i>	9.1 (Critical)	11.6.94 10.12.199	<i>Axis Security Advisory</i> - The application handling service in AXIS OS was vulnerable to command injection allowing an attacker to run arbitrary code.

# Security Advisories

## Axis CVEs

---

<i>CVE-2023-21406</i>	7.1 (High)	1.65.5	<i>Axis Security Advisory</i> - A heap-based buffer overflow was found in the pacsiod process which is handling the OSDP communication allowing to write outside of the allocated buffer. By appending invalid data to an OSDP message it was possible to write data beyond the heap allocated buffer. The data written outside the buffer could be used to execute arbitrary code.
<i>CVE-2023-21405</i>	6.5 (Medium)	11.7.12.2 11.5.54 10.12.200.1 10.12.182 1.65.5	<i>Axis Security Advisory</i> - When communicating over OSDP, a flaw was found that the OSDP message parser crashes the pacsiod process, causing a temporary unavailability of the door-controlling functionalities meaning that doors cannot be opened or closed.
<i>CVE-2023-21404</i>	4.1 (Medium)	11.4.52	<i>Axis Security Advisory</i> - A static RSA key was used to encrypt Axis-specific source code in legacy LUA-components. The encryption was applied to avoid non sensitive Axis-specific code from being easily human readable.
<i>CVE-2023-5800</i>	5.4 (Medium)	11.8.61 10.12.221 9.80.55 8.40.43 6.50.5.16	<i>Axis Security Advisory</i> - The VAPIX API create_overlay.cgi did not have a sufficient input validation allowing for a possible remote code execution.
<i>CVE-2023-5677</i>	6.3 (Medium)	5.51.7.7	<i>Axis Security Advisory</i> - The VAPIX API tcptest.cgi did not have a sufficient input validation allowing for a possible remote code execution.
<i>CVE-2023-5553</i>	7.6 (High)	11.7.57 10.12.213	<i>Axis Security Advisory</i> - Device tampering (commonly known as Secure Boot) in AXIS OS was vulnerable to a sophisticated attack to bypass this protection. This patch will enforce a downgrade restriction. For more information please review the secure advisory.

# Security Advisories

## Axis CVEs

---

### CVE 2021-2000

CVE number	Patched	Security advisory / Vulnerability summary
<i>CVE-2021-31988</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2021-31987</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2021-31986</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10664</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10663</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10662</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10661</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10660</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10659</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10658</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-9158</i>	Yes	
<i>CVE-2018-9157</i>	No	Disputed. This is an intended feature/functionality.
<i>CVE-2018-9156</i>	No	Disputed. This is an intended feature/functionality.
<i>CVE-2018-10664</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10663</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10662</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10661</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10660</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10659</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10658</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-9158</i>	Yes	
<i>CVE-2018-9157</i>	No	Disputed. This is an intended feature/functionality.
<i>CVE-2018-9156</i>	No	Disputed. This is an intended feature/functionality.
<i>CVE-2018-10664</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10663</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10662</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10661</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10660</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10659</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-10658</i>	Yes	<i>Axis Security Advisory</i>
<i>CVE-2018-9158</i>	Yes	



# Security Advisories

## Axis CVEs

CVE-2018-9157	No	Disputed. This is an intended feature/functionality.
CVE-2018-9156	No	Disputed. This is an intended feature/functionality.
CVE-2017-20050	No	This CVE has been rejected as we are lacking information on how to reproduce this vulnerability.
CVE-2017-20049	Yes	<i>Axis Security Advisory</i>
CVE-2017-20048	No	This CVE has been rejected as it is out-of-scope in accordance with our vulnerability management policy.
CVE-2017-20047	No	This CVE has been rejected as it is out-of-scope in accordance with our vulnerability management policy.
CVE-2017-20046	No	This CVE has been rejected as it is out-of-scope in accordance with our vulnerability management policy.
CVE-2017-15885	Yes	
CVE-2017-12413	Yes	
CVE-2016-AXIS-0812	Yes	
CVE-2015-8258	Yes	<i>Axis Security Advisory</i>
CVE-2015-8257	Yes	<i>Axis Security Advisory</i>
CVE-2015-8256	Yes	<i>Axis Security Advisory</i>
CVE-2015-8255	Yes	<i>Axis Security Advisory</i>
CVE-2013-3543	Yes	The vulnerability has been patched to affected AMC (AXIS Media Control) in AMC 6.3.8.0.
CVE-2008-5260	Yes	The vulnerability has been patched to affected products.
CVE-2007-5214	Yes	The vulnerability has been patched to affected products.
CVE-2007-5213	Yes	
CVE-2007-5212	Yes	
CVE-2007-4930	Yes	
CVE-2007-4929	Yes	
CVE-2007-4928	Yes	
CVE-2007-4927	Yes	
CVE-2007-4926	Yes	
CVE-2007-2239	Yes	
CVE-2004-2427	Yes	
CVE-2004-2426	Yes	
CVE-2004-2425	Yes	
CVE-2004-0789	Yes	
CVE-2003-1386	Yes	
CVE-2003-0240	Yes	
CVE-2001-1543	Yes	

# Security Advisories

## Axis CVEs

---

<i>CVE-2000-0191</i>	Yes	
<i>CVE-2000-0144</i>	Yes	

### ACV

CVE number	Patched	Security advisory / Vulnerability summary
<i>ACV-2020-100004</i>	Yes	<i>Axis Security Advisory</i>
<i>ACV-165813</i>	Yes	<i>Axis Security Advisory</i>
<i>ACV-147453</i>	Yes	<i>Axis Security Advisory</i>
<i>ACV-128401</i>	Yes	<i>Axis Security Advisory</i>
<i>ACV-120444</i>	Yes	<i>Axis Security Advisory</i>
<i>ACV-116267</i>	Yes	<i>Axis Security Advisory</i>

### Miscellaneous

#### CVE 2022

CVE number	CVSS severity	Patched in version	Security advisory / Vulnerability summary
<i>CVE-2022-23410</i>	7.8 (High)	4.18.0	<i>Axis Security Advisory - AXIS IP Utility allowed for remote code execution and local privilege escalation by the means of DLL hijacking.</i>

# Security Advisories

## OpenSource CVEs

### OpenSource CVEs

The OpenSource registry covers potential threats caused by 3rd party vulnerabilities of OpenSource components that are used in Axis products.

#### Severity rating

Since 2024, we have started adding the severity level to the table below. Note that it is only added for new CVE's.

Please note that the severity ratings provided for each CVE are based on calculations and assessments made by the respective open source providers. These ratings are not specific to Axis devices and do not necessarily reflect the severity of these vulnerabilities in the context of Axis products. The severity ratings provided here are intended to give a general indication of the potential impact as determined by the broader security community. If a CVSS rating is unavailable at [www.cve.org](http://www.cve.org), we refer to the *National Vulnerability Database (NVD)* for the necessary information when available.

### AXIS OS

#### CVE 2024

CVE number	CVSS severity	Affected	Security advisory / Vulnerability summary
<i>CVE-2024-40898</i>	7.5 (High)	No	AXIS OS devices do not run the Windows version of Apache.
<i>CVE-2024-40725</i>	5.3 (Medium)	No	AXIS OS devices do not utilize the affected function.
<i>CVE-2024-39884</i>		No	AXIS OS devices do not utilize the affected function.
<i>CVE-2024-39573</i>	7.5 (High)	Yes	The vulnerability is patched by upgrading to Apache version 2.4.60.
<i>CVE-2024-38477</i>	7.5 (High)	Yes	The vulnerability is patched by upgrading to Apache version 2.4.60.
<i>CVE-2024-38476</i>	9.8 (Critical)	Yes	The vulnerability is patched by upgrading to Apache version 2.4.60.
<i>CVE-2024-38475</i>		Yes	The vulnerability is patched by upgrading to Apache version 2.4.60.
<i>CVE-2024-38474</i>	9.8 (Critical)	Yes	The vulnerability is patched by upgrading to Apache version 2.4.60.
<i>CVE-2024-38473</i>		Yes	The vulnerability is patched by upgrading to Apache version 2.4.60.
<i>CVE-2024-38472</i>		No	AXIS OS devices do not run the Windows version of Apache.
<i>CVE-2024-36387</i>		Yes	The vulnerability is patched by upgrading to Apache version 2.4.60.
<i>CVE-2024-28960</i>		No	AXIS OS Z-Wave device does not use Mbed TLS.

# Security Advisories

## OpenSource CVEs

---

<i>CVE-2024-28836</i>		No	AXIS OS Z-Wave device does not use Mbed TLS.
<i>CVE-2024-28755</i>		No	AXIS OS Z-Wave device does not use Mbed TLS.
<i>CVE-2024-27316</i>	7.5 (High)	Yes	The vulnerability is patched by upgrading to Apache version 2.4.59.
<i>CVE-2024-26898</i>	7.8 (High)	No	AXIS OS devices do not use this ATA over Ethernet driver.
<i>CVE-2024-24795</i>		Yes	The vulnerability is patched by upgrading to Apache version 2.4.59.
<i>CVE-2024-23775</i>	7.5 (High)	No	AXIS OS Z-Wave device does not use Mbed TLS.
<i>CVE-2024-23744</i>	7.5 (High)	No	AXIS OS Z-Wave device does not use Mbed TLS.
<i>CVE-2024-23170</i>	5.5 (Medium)	No	AXIS OS Z-Wave device does not use Mbed TLS.
<i>CVE-2024-22472</i>	8.1 (High)	No	AXIS OS Z-Wave devices do not use the affected module.
<i>CVE-2024-9143</i>		No	AXIS OS devices do not use "exotic" curves as referred to in the OpenSSL advisory.
<i>CVE-2024-8957</i>	9.1 (Critical)	No	AXIS OS devices do not use the affected opensource packages and implementations.
<i>CVE-2024-8956</i>	7.2 (High)	No	AXIS OS devices do not use the affected opensource packages and implementations.
<i>CVE-2024-7264</i>	6.5 (Medium)	No	AXIS OS devices do not use the affected TLS backend.
<i>CVE-2024-6387</i>	8.1 (High)	Yes	The vulnerability is patched by upgrading to OpenSSH version 9.8.
<i>CVE-2024-5535</i>	6.5 (Medium)	Yes	The vulnerability is patched by upgrading to OpenSSL version 1.1.1za (AXIS OS 6.50, LTS 2018/2020/2022) and OpenSSL version 3.0.15 (LTS 2024/active track).
<i>CVE-2024-3094</i>	10 (Critical)	No	AXIS OS devices are running a different XZ Utils version which is not affected.
<i>CVE-2024-3052</i>	7.5 (High)	No	AXIS OS Z-Wave devices use a later version that is not affected.
<i>CVE-2024-2466</i>		No	AXIS OS devices do not use mbedTLS.

# Security Advisories

## OpenSource CVEs

<i>CVE-2024-2398</i>	8.6 (High)	Yes	The vulnerability is patched by upgrading to cURL version 8.7.1.
<i>CVE-2024-2379</i>		No	AXIS OS devices do not use wolfSSL.
<i>CVE-2024-2004</i>	3.5 (Low)	Yes	The vulnerability is patched by upgrading to cURL version 8.7.1.

### CVE 2023

CVE number	Affected	Security advisory / Vulnerability summary
<i>CVE-2023-51395</i>	No	AXIS OS Z-Wave devices are running as controllers, not end devices.
<i>CVE-2023-48795</i>	Yes	The vulnerability is patched by upgrading to OpenSSH version 9.6.
<i>CVE-2023-46446</i>	No	AXIS OS devices do not include AsyncSSH.
<i>CVE-2023-46445</i>	No	AXIS OS devices do not include AsyncSSH.
<i>CVE-2023-46219</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.5.0.
<i>CVE-2023-46218</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.5.0.
<i>CVE-2023-45802</i>	Yes	The vulnerability is patched by upgrading to Apache version 2.4.58.
<i>CVE-2023-45199</i>	No	AXIS OS Z-Wave devices do not use MBED TLS.
<i>CVE-2023-44487</i>	No	AXIS OS devices use the affected library in a different, non-vulnerable way.
<i>CVE-2023-43622</i>	Yes	The vulnerability is patched by upgrading to Apache version 2.4.58.
<i>CVE-2023-38709</i>	Yes	The vulnerability is patched by upgrading to Apache version 2.4.59.
<i>CVE-2023-38546</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.4.0.
<i>CVE-2023-38545</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.4.0.
<i>CVE-2023-38408</i>	No	AXIS OS devices do not include the ssh-agent of OpenSSH.
<i>CVE-2023-32001</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.0.1.

# Security Advisories

## OpenSource CVEs

---

<i>CVE-2023-31122</i>	No	AXIS OS devices do not use the mod_macro module.
<i>CVE-2023-28322</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.0.1.
<i>CVE-2023-28321</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.0.1.
<i>CVE-2023-28320</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.0.1.
<i>CVE-2023-28319</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.0.1.
<i>CVE-2023-27538</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.0.1.
<i>CVE-2023-27537</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.0.1.
<i>CVE-2023-27536</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.0.1.
<i>CVE-2023-27535</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.0.1.
<i>CVE-2023-27534</i>	Yes	The vulnerability is patched by upgrading to cURL version 8.0.1.
<i>CVE-2023-27533</i>	No	cURL's GSS functionality is not used on AXIS OS devices.
<i>CVE-2023-27522</i>	No	AXIS OS devices do not use the mod_proxy_uwsgi module.
<i>CVE-2023-26083</i>	No	AXIS OS devices do not use this GPU Kernel driver.
<i>CVE-2023-25690</i>	Yes	The vulnerability is patched by upgrading to Apache version 2.4.56.
<i>CVE-2023-25136</i>	Yes	AXIS OS devices are running a different OpenSSH version which is not affected.
<i>CVE-2023-23916</i>	Yes	The vulnerability is patched by upgrading to cURL version 7.88.1.
<i>CVE-2023-23915</i>	No	AXIS OS devices are running a different cURL version which is not affected.
<i>CVE-2023-23914</i>	No	AXIS OS devices are running a different cURL version which is not affected.
<i>CVE-2023-6246</i>	Yes	Only AXIS OS 11 active track is affected. The vulnerability is patched by upgrading to glibc version 2.39. Other AXIS OS LTS tracks are not affected as root-privileges are already available to the user when logging in through SSH console.

# Security Advisories

## OpenSource CVEs

---

<i>CVE-2023-5678</i>	Yes	The vulnerability is patched by upgrading to OpenSSL version 1.1.1x (AXIS OS 6.50, LTS 2018/2020/2022) & OpenSSL version 3.0.13 on active track.
<i>CVE-2023-4807</i>	No	AXIS OS devices do not use Windows XMM registers.
<i>CVE-2023-4211</i>	No	AXIS OS devices do not use this GPU Kernel driver.
<i>CVE-2023-3817</i>	Yes	The vulnerability is patched by upgrading to OpenSSL version 1.1.1v.
<i>CVE-2023-3446</i>	Yes	The vulnerability is patched by upgrading to OpenSSL version 1.1.1v.
<i>CVE-2023-2588</i>	No	AXIS OS devices do not have the affected function enabled.
<i>CVE-2023-1018</i>	No	Through testing, the vulnerability cannot be exploited in TPM modules used by Axis devices.
<i>CVE-2023-1017</i>	No	Through testing, the vulnerability cannot be exploited in TPM modules used by Axis devices.
<i>CVE-2023-0466</i>	No	AXIS OS devices do not utilize non-default certificate policy validation
<i>CVE-2023-0465</i>	No	AXIS OS devices do not utilize non-default certificate policy validation
<i>CVE-2023-0464</i>	No	AXIS OS devices do not utilize non-default certificate policy validation
<i>CVE-2023-0401</i>	No	AXIS OS devices are running a different OpenSSL track which is not affected.
<i>CVE-2023-0286</i>	Yes	The vulnerability is patched by upgrading to OpenSSL version 1.1.1t.
<i>CVE-2023-0217</i>	No	AXIS OS devices are running a different OpenSSL track which is not affected.
<i>CVE-2023-0216</i>	No	AXIS OS devices are running a different OpenSSL track which is not affected.
<i>CVE-2023-0215</i>	Yes	The vulnerability is patched by upgrading to OpenSSL version 1.1.1t.

# Security Advisories

## OpenSource CVEs

---

### CVE 2022

CVE number	Af- fected	Security advisory / Vulnerability summary
<i>CVE-2022-46152</i>	Yes	The vulnerability is patched on the AXIS OS active track and LTS 2022. Updating is recommended.
<i>CVE-2022-43552</i>	No	HTTP proxy tunnel functionality is not enabled on AXIS OS devices.
<i>CVE-2022-43551</i>	No	cURL's HSTS functionality is not enabled on AXIS OS devices.
<i>CVE-2022-42916</i>	Yes	The vulnerability is patched by upgrading to cURL version 7.86.0.
<i>CVE-2022-42915</i>	Yes	The vulnerability is patched by upgrading to cURL version 7.86.0.
<i>CVE-2022-42889</i>	No	AXIS OS devices do not use the affected Apache Commons software package.
<i>CVE-2022-42012</i>	No	While AXIS OS devices use some of the affected functions, all of these vulnerabilities require root access to be exploited and when root access is gained, full control over the device is already established.
<i>CVE-2022-42011</i>	No	While AXIS OS devices use some of the affected functions, all of these vulnerabilities require root access to be exploited and when root access is gained, full control over the device is already established.
<i>CVE-2022-42010</i>	No	While AXIS OS devices use some of the affected functions, all of these vulnerabilities require root access to be exploited and when root access is gained, full control over the device is already established.
<i>CVE-2022-38181</i>	No	AXIS OS devices do not use this GPU Kernel driver.
<i>CVE-2022-37436</i>	Yes	The vulnerability is patched by upgrading to Apache version 2.4.55.
<i>CVE-2022-36760</i>	No	AXIS OS devices do not use the mod_proxy_ajp module.
<i>CVE-2022-35260</i>	Yes	The vulnerability is patched by upgrading to cURL version 7.86.0.
<i>CVE-2022-35252</i>	No	AXIS OS devices do not use the cookie-engine of cURL.
<i>CVE-2022-32221</i>	Yes	The vulnerability is patched by upgrading to cURL version 7.86.0.
<i>CVE-2022-32208</i>	No	AXIS OS devices do not have Kerberos enabled.
<i>CVE-2022-32207</i>	Yes	The vulnerability is patched by upgrading to cURL version 7.84.0.
<i>CVE-2022-32206</i>	Yes	The vulnerability is patched by upgrading to cURL version 7.84.0.
<i>CVE-2022-32205</i>	Yes	The vulnerability is patched by upgrading to cURL version 7.84.0.
<i>CVE-2022-31813</i>	No	AXIS OS devices do not utilize IP based authentication.
<i>CVE-2022-30556</i>	No	AXIS OS devices do not use the mod_lua module.
<i>CVE-2022-30522</i>	No	AXIS OS devices do not use the mod_sed module.
<i>CVE-2022-30295</i>	Yes	Affects AXIS P7701 Video Decoder. Other Axis devices that are running the latest AXIS OS LTS or active version do not use the uClibc or uClibc-ng library. We are currently awaiting the availability of an upstream patch to be available to judge if we can provide a service release that patches this vulnerability.
<i>CVE-2022-30115</i>	No	
<i>CVE-2022-29404</i>	No	AXIS OS devices do not use the mod_lua module.
<i>CVE-2022-28861</i>	Yes	This vulnerability applies to Citilog software, not a vulnerability in AXIS OS itself.



# Security Advisories

## OpenSource CVEs

---

CVE-2022-28860	Yes	This vulnerability applies to Citilog software, not a vulnerability in AXIS OS itself.
CVE-2022-28615	No	AXIS OS devices do not use the <code>ap_strcmp_match()</code> function.
CVE-2022-28614	No	AXIS OS devices do not use the <code>ap_rwrite()</code> function.
CVE-2022-28330	No	AXIS OS devices do not use the <code>mod_isapi</code> module.
CVE-2022-27782	Yes	The vulnerability is patched by upgrading to cURL 7.83.1.
CVE-2022-27781	Yes	The vulnerability is patched by upgrading to cURL 7.83.1.
CVE-2022-27780	No	
CVE-2022-27779	No	
CVE-2022-27778	No	
CVE-2022-27776	Yes	The vulnerability is patched in a timely manner on the AXIS OS active track and the LTS tracks.
CVE-2022-27775	Yes	The vulnerability is patched in a timely manner on the AXIS OS active track and the LTS tracks.
CVE-2022-27774	Yes	The vulnerability is patched in a timely manner on the AXIS OS active track and the LTS tracks.
CVE-2022-26377	No	AXIS OS devices do not use the <code>mod_proxy_ajp</code> module.
CVE-2022-22965	No	Not affected as JDK, Spring Cloud function and/or Apache Tomcat are not used.
CVE-2022-22963	No	Not affected as JDK, Spring Cloud function and/or Apache Tomcat are not used.
CVE-2022-23943	No	AXIS OS devices do not use the <code>mod_sed</code> module.
CVE-2022-22721	No	While AXIS OS devices use the <code>core</code> module, the command <code>LimitXMLRequestBody</code> is unused.
CVE-2022-22720	Yes	The vulnerability is patched by upgrading to Apache version 2.4.53.
CVE-2022-22719	No	AXIS OS devices do not use the <code>mod_lua</code> module.
CVE-2022-22706	No	
CVE-2022-4450	Yes	The vulnerability is patched by upgrading to OpenSSL version 1.1.1t.
CVE-2022-4304	Yes	The vulnerability is patched by upgrading to OpenSSL version 1.1.1t.
CVE-2022-4203	No	AXIS OS devices are running a different OpenSSL track which is not affected.
CVE-2022-3786	No	AXIS OS devices are running a different OpenSSL track which is not affected.
CVE-2022-3602	No	AXIS OS devices are running a different OpenSSL track which is not affected.
CVE-2022-2586	Yes	All Axis products with Linux Kernel version 4.14 and onwards are affected by this vulnerability. Axis deems the severity of these vulnerabilities as low as it requires the attacker to be authenticated. Only after successful authentication can this vulnerability be exploited (=local exploit). We will provide patches for the Linux Kernel LTS versions that are affected in a timely manner.

## Security Advisories

### OpenSource CVEs

CVE-2022-2585	Yes	All Axis products with Linux Kernel version 4.14 and onwards are affected by this vulnerability. We are awaiting upstream patches for the Linux Kernel LTS versions that are affected. The vulnerability is patched already for all Axis products with Linux Kernel version 5.15 and higher and has been patched for a number of products on Linux Kernel version 4.19. Axis deems the severity of these vulnerabilities as low as it requires the attacker to be authenticated. Only after successful authentication can this vulnerability be exploited (=local exploit). We will provide patches for the Linux Kernel LTS versions that are affected in a timely manner.
CVE-2022-2274	No	AXIS OS devices are running a different OpenSSL track which is not affected.
CVE-2022-2097	No	AXIS OS devices do not use an x86 architecture.
CVE-2022-2068	No	AXIS OS devices do not use the c_rehash script.
CVE-2022-1292	No	AXIS OS devices do not use the c_rehash script.
CVE-2022-0847	No	The affected Linux Kernel 5.8 is not used, AXIS OS devices utilizes lower versions of Linux Kernel on Linux Long-Term releases.
CVE-2022-0778	Yes	The vulnerability is patched by upgrading to OpenSSL version 1.1.1n.
CVE-2022-0336	No	This vulnerability is exploitable when Active Directory (AD/ADFS) services are used, which is a functionality that is not supported in AXIS OS devices.

### CVE 2021

CVE number	Af- fected	Security advisory / Vulnerability summary
CVE-2021-44790	No	AXIS OS devices do not use the mod_lua module.
CVE-2021-44228	No	AXIS OS products only use the <i>vanilla Apache webserver</i> and not Apache Log4j, which is vulnerable. A general statement for the Axis portfolio can be found <a href="#">here</a> .
CVE-2021-44224	Yes	The vulnerability is patched by upgrading to Apache version 2.4.52.
CVE-2021-43523	Yes	Affects AXIS P7701 Video Decoder. Other Axis devices that are running the latest AXIS OS LTS or active version do not use the uClibc or uClibc-ng library. We are currently awaiting the availability of an upstream patch to be available to judge if we can provide a service release that patches this vulnerability.
CVE-2021-42013	No	
CVE-2021-41773	No	
CVE-2021-41617	No	Not affected since the AXIS OS configuration for SSH doesn't include <i>AuthorizedKeysCommand</i> or <i>AuthorizedPrincipalsCommand</i> in its default configuration.
CVE-2021-41524	No	
CVE-2021-40438	Yes	The vulnerability is patched in AXIS OS active track and the LTS tracks
CVE-2021-40146	No	
CVE-2021-39275	Yes	The vulnerability is patched in AXIS OS active track and the LTS tracks

# Security Advisories

## OpenSource CVEs

---

CVE-2021-36260	No	
CVE-2021-36160	No	
CVE-2021-34798	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks.
CVE-2021-33910	Yes	The vulnerability has been patched. Updating is recommended.
CVE-2021-33558	No	The affected 3 <sup>rd</sup> party component <i>backup.html</i> , <i>preview.html</i> , <i>js/log.js</i> , <i>log.html</i> , <i>email.html</i> , <i>online-users.html</i> , and <i>config.js</i> are not used in Axis products below version 5.70 that utilize the BOA webserver. Axis products with 5.70 and higher utilize the Apache webserver where these vulnerabilities do not apply as the BOA webserver has been removed.
CVE-2021-33193	Yes	Affects AXIS OS 10.1 - 10.7. The vulnerability has been patched. Updating is recommended.
CVE-2021-32934	No	
CVE-2021-31618	No	
CVE-2021-31618	No	
CVE-2021-31618	Yes	Affects AXIS OS 10.1 - 10.6. Has been patched in AXIS OS 10.7.
CVE-2021-30641	No	
CVE-2021-29462	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks.
CVE-2021-29256	No	AXIS OS devices do not use this GPU Kernel driver.
CVE-2021-28664	No	AXIS OS devices do not use this GPU Kernel driver.
CVE-2021-28663	No	AXIS OS devices do not use this GPU Kernel driver.
CVE-2021-28372	No	Not affected since AXIS OS doesn't utilize the ThroughTek (TUTK) TCP/IP stack application.
CVE-2021-27365	No	AXIS OS devices do not utilize ISCSI functionality.
CVE-2021-27219	Yes	The vulnerability has been patched on the LTS tracks.
CVE-2021-27218	Yes	The vulnerability has been patched on the LTS tracks.
CVE-2021-26691	No	
CVE-2021-26690	No	
CVE-2021-25677	No	
CVE-2021-23841	No	
CVE-2021-23840	No	The vulnerability has been patched on the AXIS OS active track and the LTS tracks. Updating is recommended.
CVE-2021-23839	No	
CVE-2021-22947	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks.
CVE-2021-22946	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks.
CVE-2021-22945	No	
CVE-2021-22901	No	
CVE-2021-22898	No	

## Security Advisories

### OpenSource CVEs

CVE-2021-22897	No	
CVE-2021-22890	No	The vulnerability has been patched on the AXIS OS active track and the LTS tracks. Updating is recommended.
CVE-2021-22876	No	
CVE-2021-21727	No	
CVE-2021-4160	Yes	The vulnerability is patched by upgrading to OpenSSL 1.1.1m.
CVE-2021-4104	No	AXIS OS products only use the <i>vanilla Apache webserver</i> and not Apache Log4j, which is vulnerable. A general statement for the Axis portfolio can be found <a href="#">here</a> .
CVE-2021-4034	No	Not affected since the Polkit's (PolicyKit) pkexec component is not used.
CVE-2021-4032	No	Not affected since x86-computing architecture platform is not used in AXIS OS products. AXIS OS products utilize MIPS- and ARM-based computing architecture instead.
CVE-2021-3712	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks. Updating is recommended.
CVE-2021-3658	Yes	Affects AXIS OS 8.40 LTS and 9.80 LTS. The vulnerability has been patched on the LTS tracks.
CVE-2021-3450	No	
CVE-2021-3449	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks. Updating is recommended.

### CVE 2020

CVE number	Af- fected	Security advisory / Vulnerability summary
CVE-2020-35452	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks. Updating is recommended.
CVE-2020-27738	No	
CVE-2020-27737	No	
CVE-2020-27736	No	
CVE-2020-27009	No	
CVE-2020-26558	Yes	Affects Axis body worn solution and Axis wireless cameras. The vulnerability has been patched on the AXIS OS active track and the LTS tracks.
CVE-2020-25112	No	
CVE-2020-25111	No	
CVE-2020-25110	No	
CVE-2020-25109	No	
CVE-2020-25108	No	
CVE-2020-25107	No	
CVE-2020-25066	No	
CVE-2020-24383	No	
CVE-2020-24341	No	

# Security Advisories

## OpenSource CVEs

---

CVE-2020-24340	No	
CVE-2020-24339	No	
CVE-2020-24338	No	
CVE-2020-24337	No	
CVE-2020-24336	No	
CVE-2020-24335	No	
CVE-2020-24334	No	
CVE-2020-17470	No	
CVE-2020-17469	No	
CVE-2020-17468	No	
CVE-2020-17467	No	
CVE-2020-17445	No	
CVE-2020-17444	No	
CVE-2020-17443	No	
CVE-2020-17442	No	
CVE-2020-17441	No	
CVE-2020-17440	No	
CVE-2020-17439	No	
CVE-2020-17438	No	
CVE-2020-17437	No	
CVE-2020-17049	No	This vulnerability is exploitable when Microsoft Kerberos services are used, which is a functionality that is not supported in AXIS OS devices.
CVE-2020-15795	No	
CVE-2020-14871	No	
CVE-2020-13988	No	
CVE-2020-13987	No	
CVE-2020-13986	No	
CVE-2020-13985	No	
CVE-2020-13984	No	
CVE-2020-13950	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks. Updating is recommended.
CVE-2020-13938	No	
CVE-2020-13848	Yes	Concerned customers can temporarily disable the parameter <i>Network.UPnP.Enabled</i> in Plain config to mitigate this. The vulnerability has been patched on the AXIS OS active track and the LTS tracks.
CVE-2020-12695	No	
CVE-2020-11993	No	
CVE-2020-11984	No	
CVE-2020-11899	No	

# Security Advisories

## OpenSource CVEs

---

<i>CVE-2020-11898</i>	No	
<i>CVE-2020-11897</i>	No	
<i>CVE-2020-11896</i>	No	
<i>CVE-2020-11023</i>	No	Axis deems the severity and impact of this vulnerability as low as it requires the attacker to be authenticated and no known exploits are available to negatively affect the Axis product.
<i>CVE-2020-11022</i>	No	Axis deems the severity and impact of this vulnerability as low as it requires the attacker to be authenticated and no known exploits are available to negatively affect the Axis product.
<i>CVE-2020-10713</i>	No	
<i>CVE-2020-9770</i>	Yes	Affects Axis body worn and wireless devices and will be patched in a timely manner on the AXIS OS active track and the LTS tracks.
<i>CVE-2020-9490</i>	Yes	Products with AXIS OS 10.0 or lower are <b>not</b> affected. For newer AXIS OS versions, the vulnerability has been patched on the AXIS OS active track. Updating is recommended.
<i>CVE-2020-9308</i>	Yes	AXIS OS devices use a different (not affected) version of libarchive or affected functions require root access to be exploited and when root access is gained, full control over the device is already established.
<i>CVE-2020-7461</i>	No	
<i>CVE-2020-3120</i>	No	
<i>CVE-2020-3119</i>	No	
<i>CVE-2020-3118</i>	No	
<i>CVE-2020-3111</i>	No	
<i>CVE-2020-3110</i>	No	
<i>CVE-2020-1971</i>	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks. Updating is recommended.
<i>CVE-2020-1967</i>	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks. Updating is recommended.
<i>CVE-2020-1938</i>	No	
<i>CVE-2020-1934</i>	No	
<i>CVE-2020-1927</i>	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks. Updating is recommended.
<i>CVE-2020-1472</i>	No	This vulnerability is exploited when the configuration property "server schannel" is enabled. This is not supported in AXIS OS devices, instead default settings are used which are deemed secure.

# Security Advisories

## OpenSource CVEs

---

### CVE 2019

CVE number	Af- fected	Security advisory / Vulnerability summary
<i>CVE-2019-1000020</i>	No	AXIS OS devices use a different (not affected) version of libarchive or affected functions require root access to be exploited and when root access is gained, full control over the device is already established.
<i>CVE-2019-1000019</i>	No	AXIS OS devices use a different (not affected) version of libarchive or affected functions require root access to be exploited and when root access is gained, full control over the device is already established.
<i>CVE-2019-19221</i>	No	AXIS OS devices use a different (not affected) version of libarchive or affected functions require root access to be exploited and when root access is gained, full control over the device is already established.
<i>CVE-2019-17567</i>	Yes	Affects Axis door stations/intercoms. The vulnerability has been patched. Updating is recommended.
<i>CVE-2019-15916</i>	Yes	Affects LTS 2016. The vulnerability has been patched. Updating is recommended.
<i>CVE-2019-12450</i>	Yes	Affects LTS 2018 and LTS 2016. The vulnerability has been patched.
<i>CVE-2019-11358</i>	Yes	Axis deems the severity and impact of this vulnerability as low as it requires the attacker to be authenticated and no known exploits are available to negatively affect the Axis product.
<i>CVE-2019-11135</i>	No	
<i>CVE-2019-11091</i>	No	
<i>CVE-2019-10744</i>	No	
<i>CVE-2019-9517</i>	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks. Updating is recommended.
<i>CVE-2019-1563</i>	No	
<i>CVE-2019-1559</i>	No	
<i>CVE-2019-1551</i>	No	
<i>CVE-2019-1547</i>	No	
<i>CVE-2019-1125</i>	No	

### CVE 2018

CVE number	Af- fected	Security advisory / Vulnerability summary
<i>CVE-2018-1000880</i>	No	AXIS OS devices use a different (not affected) version of libarchive or affected functions require root access to be exploited and when root access is gained, full control over the device is already established.
<i>CVE-2018-1000879</i>	No	AXIS OS devices use a different (not affected) version of libarchive or affected functions require root access to be exploited and when root access is gained, full control over the device is already established.

## Security Advisories

### OpenSource CVEs

CVE-2018-1000878	No	AXIS OS devices use a different (not affected) version of libarchive or affected functions require root access to be exploited and when root access is gained, full control over the device is already established.
CVE-2018-1000877	No	AXIS OS devices use a different (not affected) version of libarchive or affected functions require root access to be exploited and when root access is gained, full control over the device is already established.
CVE-2018-25032	Yes	The vulnerability has been patched on the AXIS OS active track and the LTS tracks.
CVE-2018-12207	No	
CVE-2018-12130	No	
CVE-2018-12127	No	
CVE-2018-12126	No	
CVE-2018-10938	No	Axis OS devices do not utilize CONFIG_NETLABEL set. Additionally, the vulnerability was fixed in 4.9.125 and AXIS OS devices uses 4.9.206.
CVE-2018-3646	No	
CVE-2018-3639	No	
CVE-2018-3620	No	
CVE-2018-3615	No	
CVE-2018-1285	No	Not affected since Apache log4net is not used in AXIS OS.

#### CVE 2017

CVE number	Af- fected	Security advisory / Vulnerability summary
CVE-2017-9833	No	The affected 3 <sup>rd</sup> party component /cgi-bin/wapopen is not used in Axis products below version 5.70 that utilize the BOA webserver. Furthermore, input validation in our APIs are used which would prevent injections. Axis products with 5.70 and higher utilize the Apache webserver where these vulnerabilities do not apply as the BOA webserver has been removed.
CVE-2017-5754	No	
CVE-2017-5753	Yes	Axis has delivered patches to the affected products.
CVE-2017-5715	Yes	Axis has delivered patches to the affected products.

#### CVE 2016

CVE number	Af- fected	Security advisory / Vulnerability summary
CVE-2016-20009	No	
CVE-2016-8863	Yes	Axis has delivered patches to the affected products.
CVE-2016-7409	No	
CVE-2016-7408	No	
CVE-2016-7407	No	
CVE-2016-7406	No	



# Security Advisories

## OpenSource CVEs

---

<i>CVE-2016-6255</i>	Yes	Axis has delivered patches to the affected products.
<i>CVE-2016-2183</i>	Yes	The vulnerability has been patched on the active track and the LTS tracks.
<i>CVE-2016-2147</i>	Yes	Axis has delivered patches to the affected products.
<i>CVE-2016-2148</i>	Yes	Axis has delivered patches to the affected products.

### CVE 2015

CVE number	Af- fected	Security advisory / Vulnerability summary
<i>CVE-2015-7547</i>	Yes	Axis has delivered patches to the affected products.
<i>CVE-2015-0235</i>	Yes	Axis has delivered patches to the affected products.
<i>CVE-2015-0204</i>	No	

### CVE 2014-1999

CVE number	Af- fected	Security advisory / Vulnerability summary
<i>CVE-2014-6271</i>	No	
<i>CVE-2014-3566</i>	Yes	Axis has delivered patches to the affected products.
<i>CVE-2014-0224</i>	Yes	Axis has delivered patches to the affected products.
<i>CVE-2014-0160</i>	No	
<i>CVE-2013-0156</i>	No	AXIS OS devices do not use Ruby on Rails.
<i>CVE-2011-3389</i>	No	
<i>CVE-2009-1955</i>	No	
<i>CVE-2007-6750</i>	No	
<i>CVE-2007-6514</i>	No	
<i>CVE-2006-20001</i>	No	AXIS OS devices do not use the mod_dav module.
<i>CVE-2005-1797</i>	No	
<i>CVE-2005-0088</i>	No	
<i>CVE-2002-20001</i>	Yes	This is a known limitation of asymmetric cryptography and is not considered relevant by Axis since the web server in Axis devices supports only 20 concurrent connections at a time, which renders the attack vector ineffective. It's recommended to use symmetric cryptography instead when connecting to Axis devices.
<i>CVE-2002-0185</i>	No	
<i>CVE-1999-1412</i>	No	
<i>CVE-1999-1237</i>	No	

# Security Advisories

## Other vulnerabilities

---

### Other vulnerabilities

This section covers vulnerabilities that are not classified as CVEs but have been investigated by Axis.

Title	Details
<i>ONVIF / WS Discovery DDoS Attacks</i>	Statement for ONVIF-capable devices vulnerable for DDoS exploit.
<i>Cross-Site Request Forgery (CSRF)</i>	Statement for Cross-Site Request Forgery in Axis products.
<i>Exposed Axis products and their risks</i>	Statement for exposed Axis products and their risks.

